

# Google Drive Uploader

for Magento CE 2.1.x or Later



## User Guide

## Guide for Google Drive Uploader for Magento 2

This is a new feature added to the module named **PHPCuong\_DriveUploader**, this extension helps to upload the database files, media files, and system files in the Magento 2 path named var/backups to your Google Drive account automatically.

### Why should you use the Google Drive Uploader for Magento 2?

As we know by default Magento 2 provides a feature that allows the administrator can set the backup settings from the backend, this feature will help to backup the database, media, and system files via a schedule.

#### Backup Settings

Enable Backup <small>[global]</small>	Yes	▼						
Disabled by default for security reasons.								
Enable Scheduled Backup <small>[global]</small>	Yes	▼						
Scheduled Backup Type <small>[global]</small>	Database	▼						
Start Time <small>[global]</small>	00	▼	:	00	▼	:	00	▼
Frequency <small>[global]</small>	Daily	▼						
Maintenance Mode <small>[global]</small>	No	▼						
Please put your store into maintenance mode during backup.								

All the files are generated, it will be saved in the folder path var/backups of Magento 2. This feature of Magento is very nice. However, all backup


files are saved on the live server. If your server gets an issue and you forget to backup those files to your localhost. You can't download the backup files. This will be very bad.

From this cause, we created a new extension for Magento 2, it is called Google Drive Uploader. This extension will help to upload the backup files in the folder path var/backups of Magento 2 to your Google Drive account automatically.


Let the backup files be uploaded to Your Google Drive account automatically, you need to update the configuration of this extension.

Follow the steps below to complete the configuration:

- Log in to the **Magento backend**.
- Go to the Admin Panel of the Magento Store and navigate to the **STORES** → **Settings** → **Configuration**



- You will be redirected to the Configuration page, then you switch to the **GIAPHUGROUP EXTENSIONS** → **Google Drive Uploader**



- On this page, you will be required to update the following fields:



#### Google Drive Settings

Enabled <small>[store view]</small>	Yes	<input type="checkbox"/> Use system value
<small>Enables or Disables this feature.</small>		
Your Client ID <small>[store view]</small>	<input type="text"/>	
<small>Create Your Client ID, please <a href="#">click here</a>.</small>		
Your Client Secret <small>[store view]</small>	<input type="text"/>	
<small>Create Your Client Secret, please <a href="#">click here</a>.</small>		
Folder ID on Google Drive <small>[store view]</small>	<input type="text"/>	
Auto delete backing up files in Google Drive after <small>[store view]</small>	1 day	<input type="checkbox"/>
Redirect URI	<a href="https://extensions.giaphugroup.com/phpcuong_drive_uploader/accesstoken/">https://extensions.giaphugroup.com/phpcuong_drive_uploader/accesstoken/</a>	
Refresh Access Token <small>[store view]</small>	<input type="text"/>	

- Let's get your client ID, your client secret, complete the following steps:

**Step 1:** Please sign in with your [Google Cloud](#) console.

**Step 2:** Click **Select a Project** dropdown and Create a New project.



## New Project

**Project name \***  
Google Drive Uploader

Project ID: sapient-bucksaw-404603. It cannot be changed later. [EDIT](#)

**Organization \***  
giaphugroup.com


Select an organization to attach it to a project. This selection can't be changed later.

**Location \***  
giaphugroup.com [BROWSE](#)


Parent organization or folder

[CREATE](#) [CANCEL](#)

### Step 3: Search **Google Drive API** in the search bar and then enable **Google Drive API**



### Step 4: Click on the **OAuth consent screen** menu on the left sidebar



## App information

This shows in the consent screen, and helps end users know who you are and contact you

**App name \***

Drive Uploader

The name of the app asking for consent

**User support email \***

sales@giaphugroup.com

For users to contact you with questions about their consent. [Learn more](#)

## App domain

To protect you and your users, Google only allows apps using OAuth to use Authorized Domains. The following information will be shown to your users on the consent screen.

**Application home page**

<https://www.giaphugroup.com/>

Provide users a link to your home page

**Application privacy policy link**

<https://www.giaphugroup.com/en/privacy-policy-cookie-restriction-mode>


Provide users a link to your public privacy policy

**Application terms of service link**

<https://www.giaphugroup.com/en/customer-service>

Provide users a link to your public terms of service

### Authorized domains

When a domain is used on the consent screen or in an OAuth client's configuration, it must be pre-registered here. If your app needs to go through verification, please go to the [Google Search Console](#) to check if your domains are authorized. [Learn more](#)  about the authorized domain limit.

Authorized domain 1 \*

[+ ADD DOMAIN](#)

### Developer contact information

Email addresses \*

These email addresses are for Google to notify you about any changes to your project.

[SAVE AND CONTINUE](#)  [CANCEL](#)



- ✓ OAuth consent screen —
- 2 Scopes** —
- 3 Test users —
- 4 Summary

Scopes express the permissions you request users to authorize for your app and allow your project to access specific types of private user data from their Google Account. [Learn more](#)

ADD OR REMOVE SCOPES

### Your non-sensitive scopes

API ↑	Scope	User-facing description
No rows to display		

### 🔒 Your sensitive scopes


Sensitive scopes are scopes that request access to private user data.

API ↑	Scope	User-facing description
No rows to display		

### 🔒 Your restricted scopes

Restricted scopes are scopes that request access to highly sensitive user data.

API ↑	Scope	User-facing description
No rows to display		

SAVE AND CONTINUE  CANCEL

- ✓ OAuth consent screen
- ✓ Scopes
- 3 Test users**
- 4 Summary

### Test users

While publishing status is set to "Testing", only test users are able to access the app. Allowed user cap prior to app verification is 100, and is counted over the entire lifetime of the app. [Learn more](#)

**+ ADD USERS** ← 1

Filter Enter property name or value ?

User information

No rows to display

**SAVE AND CONTINUE** CANCEL

### ✕ Add users

⚠ While publishing status is set to "Testing", only test users are able to access the app. Allowed user cap prior to app verification is 100, and is counted over the entire lifetime of the app.

[LEARN MORE](#)

sales@giaphugroup.com ?

0 / 100

**ADD** ← 3

**In this step, you need to enter your Gmail account.**

✓ OAuth consent screen — ✓ Scopes — 3 **Test users** — 4 Summary

## Test users

While publishing status is set to "Testing", only test users are able to access the app. Allowed user cap prior to app verification is 100, and is counted over the entire lifetime of the app. [Learn more](#)

+ ADD USERS

Filter Enter property name or value

User information	
sales@giaphugroup.com	


SAVE AND CONTINUE

CANCEL


4


- You need to publish your app.

The screenshot shows the Google Cloud console interface. On the left, the 'APIs & Services' menu is open, with 'OAuth consent screen' selected. The main content area shows the 'OAuth consent screen' configuration for 'Drive Uploader'. The 'Publishing status' is set to 'Testing'. A red arrow points to the 'PUBLISH APP' button.



**Step 5:** Click on the **Credentials** menu on the left sidebar, & then click on **+ Create Credentials** as shown below the image. Choose the **OAuth Client ID** option.





For the **Authorized redirect URIs**, you can get this link from the Magento 2 backend. See the following image.

### Google Drive Settings

Enabled [store view] Yes   
Enables or Disables this feature.

Your Client ID [store view]   
Create Your Client ID, please [click here](#).

Your Client Secret [store view]   
Create Your Client Secret, please [click here](#).

Folder ID on Google Drive [store view]

Auto delete backing up files in Google Drive after [store view] 1 day

Redirect URI [store view] [https://extensions.giaphugroup.com/phpcuong\\_drive\\_uploader/accesstoken/](https://extensions.giaphugroup.com/phpcuong_drive_uploader/accesstoken/)

Refresh Access Token [store view]

### Authorized redirect URIs ?

For use with requests from a web server

URIs 1 \*


[+ ADD URI](#)

Click this button for creating

Note: It may take 5 minutes to a few hours for settings to take effect

[CREATE](#) [CANCEL](#)

**Step 6:** At this step, the **Oauth Client** will be created as well as its credentials. A popup will be displayed with the **client Id** and **Client Secret**.



Completing the 6 steps above, you will get your client ID and your client secret. You copy and paste them into the configuration of the Magento 2 page.

Google Drive Settings

**Enabled** [store view]

Enables or Disables this feature.




**Your Client ID** [store view]

Create Your Client ID, please [click here](#).


**Your Client Secret** [store view]

Create Your Client Secret, please [click here](#).

- Let's get your **Folder ID on Google Drive**, Please sign in with your [Google Drive](#) Gmail account you added to the **test users** step. Then click on the **+ New** button.








On the URL will be the folder ID for saving the backup files. You copy and paste it into the configuration of the Magento 2 page.


Google Drive Settings

Enabled <small>[store view]</small>	Yes	<input type="checkbox"/> Use sy
<small>Enables or Disables this feature.</small>		
Your Client ID <small>[store view]</small>	496875048163-c2c5kpvh7pfnb3ef1u22i512rg7e0mm9.apps.googleusercontent.com	
<small>Create Your Client ID, please <a href="#">click here</a>.</small>		
Your Client Secret <small>[store view]</small>	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	
<small>Create Your Client Secret, please <a href="#">click here</a>.</small>		
Folder ID on Google Drive <small>[store view]</small>	1jPh2sYw_OmZhig5wmeJfYqsaRka8JMqx	

- You set the value for the field **Auto delete backing up files in Google Drive after**. Set the day that the backup files will be deleted in Google Drive.



- After updating the **Your Client ID, Your Client Secret, Folder ID on Google Drive, Auto delete backing up files in Google Drive after**. You press the **Save Config** button




- The system will save the data of those fields into the database. You will need to generate the refresh access token. Please click on **Click Here To Generate Refresh Access Token**.

Redirect URI [https://extensions.giaphugroup.com/phpcuong\\_drive\\_uploader/accesstoken/](https://extensions.giaphugroup.com/phpcuong_drive_uploader/accesstoken/)

Refresh Access Token [store view]


[Click Here To Generate Refresh Access Token](#)

- At this step, if you are not logged in to the email account you specified in the **test users** step, please log in. Google will notify you that this app is not verified. Click on the Continue link and on the next screen, enable the checkbox to allow this app to access the Gdrive and to perform actions. If you are already logged into the allowed user's account you may directly see a popup with an Allow button. Click on this button to grant access.


 Sign in with Google

---

**Choose an account**  
to continue to [giaphugroup.com](https://giaphugroup.com)



 **Hien Tran Thi My**  
sales@giaphugroup.com

---

 Use another account

---

Before using this app, you can review [giaphugroup.com's privacy policy](#) and [terms of service](#).



- The system will generate a refresh access token for you automatically. You copy and paste it into the configuration of the Magento 2 page.


Auto delete backing up files in Google Drive after  [store view]

Redirect URI [https://extensions.giaphugroup.com/phpcuong\\_drive\\_uploader/accesstoken/](https://extensions.giaphugroup.com/phpcuong_drive_uploader/accesstoken/)

Refresh Access Token  [store view]

[Click Here To Generate Refresh Access Token](#)

- You press the **Save Config** button to saving the configuration



- The system will save the Refresh Access Token. You can test the connection by clicking on the **Test connection** button.

Refresh Access Token  [store view]

[Click Here To Generate Refresh Access Token](#)


- If everything is correct, you will get a notification as below.

Refresh Access Token  [store view]


[Click Here To Generate Refresh Access Token](#)

Congratulations!!!!  
The file named 2023-11-09 04:02:26.txt was added to Your Google Drive to succeed.


- You go to your drive backup-files folder, you will get a file similar to this image.



- If you want to get an email notification after the backup files are processed. You need to set the **Send an email notification** to Yes.




- You press the **Save Config** button to save the configuration



- Let the database file, media files, and system files be generated automatically, you need to update the backup settings.

Backup Settings ⌵

Configuration [Stores > Configuration > Advanced > System > Backup Settings](#)  
Click here 

---

Backup Settings ⌵

**Enable Backup** [global]  ▼  
 Disabled by default for security reasons.

**Enable Scheduled Backup** [global]  ▼


**Scheduled Backup Type** [global]  ▼

**Start Time** [global]  ▼ :  ▼ :  ▼

**Frequency** [global]  ▼

**Maintenance Mode** [global]  ▼  
 Please put your store into maintenance mode during backup.

- You press the **Save Config** button to save the configuration



- Following those settings, the database and media files will be generated at 00:00:00 each day. Then it will be uploaded to your Google Drive account automatically. You need to look at the backup-files folder on Google Drive to check the result.